



UNITED STATES PATENT AND TRADEMARK OFFICE

*cev*

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/610,301	07/05/2000	Derek W. Bolton	CSC01275	4206

29989 7590 10/02/2003

HICKMAN PALERMO TRUONG & BECKER, LLP  
1600 WILLOW STREET  
SAN JOSE, CA 95125

EXAMINER
----------

KADING, JOSHUA A

ART UNIT	PAPER NUMBER
----------	--------------

2661

DATE MAILED: 10/02/2003

*5*

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/610,301

Applicant(s)

BOLTON, DEREK W.

Examiner

Joshua Kading

Art Unit

2661

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-35 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-35 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 05 July 2000 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) ✓
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) ✓
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Drawings***

1. This application, filed under former 37 CFR 1.60, lacks formal drawings. The informal drawings filed in this application are acceptable for examination purposes. When the application is allowed, applicant will be required to submit new formal drawings. In unusual circumstances, the formal drawings from the abandoned parent application may be transferred by the grant of a petition under 37 CFR 1.182.

### ***Specification***

2. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

3. The abstract of the disclosure is objected to because it exceeds 150 words in length. Correction is required. See MPEP § 608.01(b).
4. The disclosure is objected to because of the following informalities: the title in the disclosure is different from the title on record.

Appropriate correction is required.

***Claim Rejections - 35 USC § 102***

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 1, 3-8, 11-16, 19, and 20 are rejected under 35 U.S.C. 102(b) as being anticipated by RFC2582 (The NewReno Modification to TCP's Fast Recovery Algorithm, from applicant's IDS).

7. In regard to claim 1, RFC2582 discloses a network device-based method comprising: determining, upon receiving acknowledgement of receipt of new data, an excess number of duplicate acknowledgements based upon a count of consecutive duplicate acknowledgement packets (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", lines 8-13 of section 3);

8. taking a network packet transmission recovery action based upon said excess number of duplicate acknowledgements (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", lines 8-13 of section 3 implying that when a threshold of duplicate acknowledgements is reached Fast Recovery Procedure begins);  
and

9. storing said excess number of duplicate acknowledgements as a number of duplicate acknowledgements (section 3 "The Fast Retransmit and Fast Recovery

Art Unit: 2661

Algorithms in NewReno", step 1, line 1 where it is implied that the number of duplicate acknowledgements must be stored in order to keep a count).

10. In regard to claim 3, RFC2582 discloses the network device-based method further comprising deflating a congestion window upon said value of said excess number of duplicate acknowledgements in bytes being less than a number of bytes in a transmission control protocol sender segment (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", step 5, lines 7-13).

11. In regard to claim 4, RFC2582 discloses a network device-based method further comprising optimizing a size of a congestion window to match a reduction in a quantity of unacknowledged data upon said excess number of duplicate acknowledgements being greater than a TCP sender segment (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", step 5, lines 24-31).

12. In regard to claim 5, RFC2582 discloses a network device-based method further comprising comparing said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", lines 8-13 of section 3 where it is implied that the value of 3 is the threshold to which the count is being compared to).

Art Unit: 2661

13. In regard to claim 6, RFC2582 discloses a network device-based method further comprising performing a fast retransmit upon said comparing said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold indicating that said excess number of duplicate acknowledgements is greater than or equal to said duplicate acknowledgement threshold (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", lines 3-9 where it is implied the Fast Retransmit is part of the recovery method).

14. In regard to claims 7 and 15, RFC2582 discloses a network device-based method further comprising analyzing a size of a congestion window (section 4 "Resetting the Retransmit Timer", lines 15-17 of section 4 where it is implied that the window is analyzed for size to know how many data packets to transmit).

15. In regard to claims 8 and 16, RFC2582 discloses a network device-based method further comprising resizing said congestion window upon said analyzing said size of said congestion window showing said size is greater than a predefined size (section 5 "Avoiding Multiple Fast Retransmits, line 14 of section 5 where it is implied the congestion window is reduced after being analyzed).

16. In regard to claims 11 and 19, RFC2582 discloses a network device-based method wherein said method is included in Transmission Control Protocol congestion avoidance (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno",

Art Unit: 2661

lines 1-3 of section 3 where it is the purpose of the fast recovery algorithm to avoid congestion).

17. In regard to claim 12, RFC2582 discloses a network device-based method comprising:

18. determining, upon receiving acknowledgement of receipt of new data, an excess number of duplicate acknowledgements based upon a count of consecutive duplicate acknowledgement packets (see claim 1 above);

19. deflating a congestion window upon said value of excess number duplicate acknowledgements being less than a transmission control protocol sender segment (see claim 3 above);

20. optimizing a size of said congestion window to match a reduction in a quantity of unacknowledged data upon said excess number of duplicate acknowledgements being greater than a transmission control protocol sender segment (see claim 4 above); and

21. storing said excess number of duplicate acknowledgements as a number of duplicate acknowledgements (see claim 1 above).

22. In regard to claim 13, RFC2582 discloses a network device-based method further comprising comparing said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold upon said excess number of duplicate acknowledgements in bytes being greater than a number of bytes in a TCP sender

Art Unit: 2661

segment (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", step 5, lines 7-10).

23. In regard to claim 14, RFC2582 discloses a network device-based method further comprising performing a fast transmit upon said comparing said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold indicating that said excess number of duplicate acknowledgements is greater than or equal to said duplicate acknowledgement threshold (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", line1 and section 1, line 1).

24. In regard to claim 20, RFC2582 discloses a transmission control protocol method comprising:

25. performing a TCP fast recovery process (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", line 1);

26. performing a TCP fast recover extended process upon receiving acknowledgements of receipt of new data in said TCP fast recover process (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", step 5).

***Claim Rejections - 35 USC § 103***

27. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

28. Claims 2, 9, 10, 17, 18, 21-31, 34, and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over RFC2582 in view of Chapman et al. (U.S. Patent 6,493,316 B1).

29. In regard to claims 2 and 23, RFC2582 discloses a network device-based method...determining an excess number of duplicate acknowledgements (see claim 1 above). RFC2582 lacks determining whether a congestion window is inflated prior to said determining an excess number of duplicate acknowledgements. However, Chapman et al. disclose determining whether a congestion window is inflated prior to said determining an excess number of duplicate acknowledgements (col. 5, lines 33-34 where inflating the window after the receipt of a non-duplicate ACK is received is a method of determining if the window is inflated). It would have been obvious to one with ordinary skill in the art at the time of invention to include the determining whether a congestion window is inflated with the network device-based method. The motivation being to increase the response time of the system to network congestion.

30. In regard to claims 9, 17 and 30, RFC2582 discloses a network device-based method (see claim 1 above). RFC2582 lacks analyzing a size of a congestion window upon said comparing said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold indicating that said excess number of duplicate acknowledgements is less than said duplicate acknowledgement threshold. However, Chapman et al. disclose analyzing a size of a congestion window upon said comparing

Art Unit: 2661

said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold indicating that said excess number of duplicate acknowledgements is less than said duplicate acknowledgement threshold (col. 5, lines 33-34 where inflating the window after the receipt of a non-duplicate ACK is received is a method of determining if the window is inflated and this situation occurs when the duplicate acknowledgement threshold is not met). It would have been obvious to one with ordinary skill in the art at the time of invention to include the analyzing the size of the congestion window to the network device-based method. The motivation being to appropriately adjust the congestion window size based on network congestion.

31. In regard to claims 10, 18, 29 and 31, RFC2582 discloses a network device-based method (see claim 1 above). RFC2582 lacks resizing said congestion window upon analyzing said size of said congestion window showing said size is greater than a predefined size. However, Chapman et al. disclose resizing said congestion window upon analyzing said size of said congestion window showing said size is greater than a predefined size (col. 8, lines 2-5 where MAX-WND is the predetermined size and C-WND is the actual size of the window). It would have been obvious to one with ordinary skill in the art at the time of invention to include the resizing of the congestion window with the network device-based method. The motivation being to effectively manage bandwidth of the network.

Art Unit: 2661

32. In regard to claim 21, RFC2582 discloses... a fast recovery extended method... (see claim 20 above). RFC2582 lacks a processor; and a memory coupled to said processor, and storing a fast recovery extended method wherein upon execution of said fast recovery extended method by said processor a fast recovery process is extended. However, Chapman et al. discloses a processor; and a memory coupled to said processor, and storing a fast recovery extended method wherein upon execution of said fast recovery extended method by said processor a fast recovery process is extended (figure 15, elements 32, 30, and 28; col. 8, lines 27-31 where elements 32 and 28 constitute the processor and 30 is the memory that stores the fast recovery extended method). It would have been obvious to one with ordinary skill in the art at the time of invention to include the fast recovery extended method with the processor, and memory. The motivation being to allow for implementation of the fast recovery extended method.

33. Claim 22 is rejected for the same reasons as claim 21 even though claim 21 lacks determining, upon receiving acknowledgement of receipt of new data by said network device, an excess number of duplicate acknowledgements based upon a count of consecutive duplicate acknowledgement packets; taking a network packet transmission recovery action based upon said excess number of duplicate acknowledgements; and storing said excess number of duplicate acknowledgements in said memory as a number of duplicate acknowledgements. However, RFC2582 further discloses determining, upon receiving acknowledgement of receipt of new data by said

Art Unit: 2661

network device, an excess number of duplicate acknowledgements based upon a count of consecutive duplicate acknowledgement packets; taking a network packet transmission recovery action based upon said excess number of duplicate acknowledgements; and storing said excess number of duplicate acknowledgements in said memory as a number of duplicate acknowledgements (see claim 1 above).

34. Claim 24 is rejected for the same reasons as claim 22 even though claim 22 lacks deflating a congestion window upon said value of said excess number of duplicate acknowledgements in bytes being less than a number of bytes in a transmission control protocol sender segment. However, RFC2582 discloses deflating a congestion window upon said value of said excess number of duplicate acknowledgements in bytes being less than a number of bytes in a transmission control protocol sender segment (see claim 3 above).

35. Claim 25 is rejected for the same reasons as claim 22 even though claim 22 lacks optimizing a size of a congestion window to match a reduction in a quantity of unacknowledged data upon said excess number of duplicate acknowledgements being greater than a TCP sender segment. However, RFC2582 discloses optimizing a size of a congestion window to match a reduction in a quantity of unacknowledged data upon said excess number of duplicate acknowledgements being greater than a TCP sender segment (see claim 4 above).

Art Unit: 2661

36. Claim 26 is rejected for the same reasons as claim 22 even though claim 22 lacks comparing said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold. However, RFC2582 discloses comparing said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold (see claim 5 above).

37. Claim 27 is rejected for the same reasons as claim 22 even though claim 22 lacks performing a fast retransmit upon said comparing said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold indicating that said excess number of duplicate acknowledgements is greater than or equal to said duplicate acknowledgement threshold. However, RFC2582 discloses performing a fast retransmit upon said comparing said excess number of duplicate acknowledgements with a duplicate acknowledgement threshold indicating that said excess number of duplicate acknowledgements is greater than or equal to said duplicate acknowledgement threshold (see claim 6 above).

38. Claim 28 is rejected for the same reasons as claim 27 even though claim 27 lacks analyzing a size of a congestion window. However, RFC2582 discloses analyzing a size of a congestion window (see claim 7 above).

39. Claim 32 is rejected for the same reasons as claim 22 even though claim 22 lacks a method that is included in Transmission Control Protocol congestion avoidance.

Art Unit: 2661

However, RFC2582 discloses a method that is included in Transmission Control Protocol congestion avoidance (see claim 11 above).

40. In regard to claim 34, RFC2582 discloses a TCP fast recovery process (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", line 1); a TCP fast recover extended process upon receiving acknowledgements of receipt of new data in said TCP fast recover process (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", step 5). RFC2582 lacks the means for performing a TCP fast recovery process; means for performing a TCP fast recover extended process upon receiving acknowledgements of receipt of new data in said TCP fast recover process. However, Chapman et al. disclose means for performing a TCP fast recovery process; means for performing a TCP fast recover extended process upon receiving acknowledgements of receipt of new data in said TCP fast recover process (figure 15 which is a network device that implements the fast recovery methods). It would have been obvious to one with ordinary skill in the art at the time of invention to include the means for performing the fast recovery methods. The motivation being to have a working device to implement the method.

41. In regard to claim 25, RFC2582 discloses determining, upon receiving acknowledgement of receipt of new data, an excess number of duplicate acknowledgements based upon a count of consecutive duplicate acknowledgement packets (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno",

Art Unit: 2661

lines 8-13 of section 3); taking a network packet transmission recovery action based upon said excess number of duplicate acknowledgements (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", lines 8-13 of section 3 implying that when a threshold of duplicate acknowledgements is reached Fast Recovery Procedure begins); and storing said excess number of duplicate acknowledgements as a number of duplicate acknowledgements (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", step 1, line 1 where it is implied that the number of duplicate acknowledgements must be stored in order to keep a count). However, RFC2582 lacks means for determining, upon receiving acknowledgement of receipt of new data, an excess number of duplicate acknowledgements based upon a count of consecutive duplicate acknowledgement packets; means for taking a network packet transmission recovery action based upon said excess number of duplicate acknowledgements; and means for storing said excess number of duplicate acknowledgements as a number of duplicate acknowledgements. However, Chapman et al. disclose means for determining, upon receiving acknowledgement of receipt of new data, an excess number of duplicate acknowledgements based upon a count of consecutive duplicate acknowledgement packets; means for taking a network packet transmission recovery action based upon said excess number of duplicate acknowledgements; and means for storing said excess number of duplicate acknowledgements as a number of duplicate acknowledgements (figure 15 which is a network device that implements all the above tasks). It would have been obvious to one with ordinary skill in the art at the time of invention to include the means for

Art Unit: 2661

implementing all the above tasks. The motivation being to have a working device to implement all the tasks.

42. Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over RFC2582.

43. In regard to claim 33, RFC2582 discloses a network device-based method for determining, upon receiving acknowledgement of receipt of new data, an excess number of duplicate acknowledgements based upon a count of consecutive duplicate acknowledgement packets (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", lines 8-13 of section 3); taking a network packet transmission recovery action based upon said excess number of duplicate acknowledgements (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", lines 8-13 of section 3 implying that when a threshold of duplicate acknowledgements is reached Fast Recovery Procedure begins); and storing said excess number of duplicate acknowledgements as a number of duplicate acknowledgements (section 3 "The Fast Retransmit and Fast Recovery Algorithms in NewReno", step 1, line 1 where it is implied that the number of duplicate acknowledgements must be stored in order to keep a count). However, RFC2582 lacks a programmable memory including a fast recovery extended method wherein said fast recovery method upon execution comprises: determining, upon receiving acknowledgement of receipt of new data, an excess number of duplicate acknowledgements based upon a count of consecutive duplicate acknowledgement packets; taking a network packet transmission recovery action based


Art Unit: 2661

upon said excess number of duplicate acknowledgements; and storing said excess number of duplicate acknowledgements as a number of duplicate acknowledgements. It would have been obvious to one with ordinary skill in the art at the time of invention to make the network based-device method into a programmable set of executable instructions. The motivation being a programmable set of executable instructions is the most efficient way to implement the method steps.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joshua Kading whose telephone number is (703) 305-0342. The examiner can normally be reached on M-F: 8:30AM-5PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas Olms can be reached on (703) 305-4703. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.



Joshua Kading  
Examiner  
Art Unit 2661

JK  
September 22, 2003

  
**KENNETH VANDERPUYE**  
**PRIMARY EXAMINER**